


**2 Station Thermal ECR**

Fiscal Version Available

# ER-5215M/5240M/5200M

Multi-Line LCD  
More powerful S/W



# ER-5200M SERIES

## *Best Features*

### **Clerk Interrupt & Check Tracking**

Clerk interrupt allows different operators to record rounds of drinks at various stages. Each operator can enter and add to checks or tables in a restaurant. Ability to separate checks by splitting items from a customer bill or to add checks to an existing bill.

### **LCD Display**

Backlit LCD shows all transactions at a glance  
This feature allows you to adjust operator's visibility in dim store conditions

### **Easy Paper Loading**

You can meet drop in type printer

### **Charge Posting**

Customers simply maintain charge accounts. It can be used in resorts, campgrounds, and small motels.

### **Memory Allocation**

Users can optimize their memory size. Anyone can easily change PLU, clerk, and check table size using this unique function.

### **Mix & Match Table**

This function uses an automatic discount table for easy facilitation of special promotions.

### **16 Char. x 2 lines LCD**

More visible environment can be provided by Multi-Line LCD.

## **A fabulous system for any complicated environment.**

The ER-5200M Series is powerful, speedy, and silent. All the features you need to improve your business are here in the ER-5200M series.

### Receipt Sample

```
*****  
***** WELCOME TO SAM'S *****  
*****  
DATE 01/01/2004 THU TIME 12:17  
  
APPLE $10.00  
BANANA $20.00  
ORANGE JUICE $50.00  
WINE $100.00  
COFFEE $15.00  
SUBTOTAL $195.00  
CASH $195.00  
*****  
***** THANK YOU *****  
***** CALL AGAIN *****  
*****  
CLERK 1 No.0000001
```

# ER-5215M

You will enjoy the results of its low cost 2 station thermal printer.  
<< Raised 60 Keys



# ER-5240M

This great heavy duty ECR is a great value for middle range retail application.  
<< Raised 90 Keys



# ER-5200M

A powerful solution for most hospitality applications.  
Enhance any hospitality operation.  
<< Flat 160 Keys



## Basic Specifications

<b>MODEL NAME</b>		<b>ER-5215M/5240M/5200M</b>
<b>PRINTER</b>	TYPE	2-Station Direct Thermal Type
	SPEED	13.3 Line Per Sec
	PAPER WIDTH	57.5mm x 2
<b>KEYBOARD</b>		60/90 Raised, 160 Flat
<b>DISPLAY</b>	OPERATOR	16char. x 2 Lines LCD
	CUSTOMER	10-Digit VFD
<b>MEMORY</b>	ROM	8Mbit(Flash)
	RAM	2Mbit(Default), 8Mbit(Option)
<b>MEMORY PROTECTION BATTERY</b>		60 Days
<b>INTERFACE</b>	RS-232C	2 Ports
<b>POWER REQUIREMENT</b>		120V/60HZ, 230V/50HZ
<b>POWER CONSUMPTION</b>		Reg(25W)
<b>DRAWER</b>	TYPE	5B/5C, 4B/8C, 7B/8C
	PORT	2 Ports
<b>ENVIRONMENT</b>	TEMPERATURE	32°F~104°F(0℃~40℃)
<b>CONDITION</b>	HUMIDITY	30%~80% RH
<b>DIMENSION (W x D x H, mm)</b>	SET	400 x 455 x 305 With Drawer
	DRAWER	400 x 450 x 112
<b>WEIGHT</b>		15.2 Kg
<b>FACTORY OPTION</b>	Memory (4Mbit x 2)	Paper Near-End Assy
	Auto Cutter	Water Proof (Except Flat)
	Clerk Key (5,10,15PCS)	Dust Cover

\*Without any prior notice, design and specification are subject to change.

[www.sam4s.com](http://www.sam4s.com)

Distributed by: